

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product Name: Ultra-Wet Look
Product Codes(s): Ultra-Wet Look
Synonym(s): Polyurethane/acrylic emulsion
REACH Registration: No data available

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Sealer for pavers and masonry
Uses advised against: No uses advised against

1.3 Details of the supplier and of the safety data sheet

Manufacturer/Distributor
 Seal 'n Lock System Corp.
 13215 N. Nebraska Avenue, Bldg. A
 Tampa, FL 33612 USA
 813-852-1500

1.4 Emergency telephone number: INFOTRAC: 800-535-5053; Outside the USA or Canada: +1-352-323-3500

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Product definition: Mixture
Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation (EC) No 1272/2008
 Skin Irritation - Category 3 [H316]
 Eye Irritation - Category 2A [H319]

2.2 Label Elements

Hazard Symbol(s):



GHS07

Signal Word:

Warning

Hazard Statement(s):

H316 - Causes mild skin irritation
 H319 - Causes serious eye irritation

Precautionary Statements:

[Prevention]

P264 - Wash hands and other skin areas exposed to material thoroughly after handling.
 P280 - Wear protective gloves, protective clothing and eye protection.

[Response]

P332 + P337 + P313 - If skin irritation occurs or eye irritation persists: Get medical attention.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
<35	Acrylic Polymer	Proprietary	-----	-----	-----
<10	Polyurethane Resin	Proprietary	-----	-----	-----
<10	Diethylene Glycol Monobutyl Ether	112-34-5	203-961-6	603-096-00-8	H319
<1	N-Methyl Pyrrolidone	872-50-4	202-828-1	606-021-00-7	H315, H319, H360d, H335
<0.5	Triethylamine	121-44-8	204-469-4	612-004-00-5	H225, H302, H312, H314, H332

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. Loosen tight fitting clothing such as a collar, tie, belt or waistband. Seek medical attention if symptoms persist.

Eyes: Immediately flush eyes with large amounts of water for 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after the first 2 minutes and continue rinsing. Seek immediate medical attention, preferably from an ophthalmologist.

Skin: Flush skin with large amounts of water while removing contaminated clothing. Wash affected area with soap and water. Wash contaminated clothing and shoes thoroughly before reuse. If skin irritation persists or if rash develops, get medical attention.

Ingestion: Rinse mouth with water if the victim is conscious. Remove dentures, if present. Give 1 - 2 cupfuls of water or milk to drink if the victim is conscious, alert and able to swallow. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim alone. Obtain medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Potential health symptoms and effects

Eyes: Causes serious eye irritation. Symptoms may include redness, swelling, stinging and tearing.

Skin: May cause mild skin irritation with localized redness, itching and discomfort. May cause skin rash in susceptible individuals.

Inhalation: Mist or vapor may cause irritation of the nose, throat and respiratory tract. Symptoms may include sore throat, cough headache, nausea and shortness of breath.

Ingestion: May cause gastrointestinal irritation with nausea, abdominal pain, vomiting and diarrhea. May cause headache and dizziness. Repeated ingestion may be harmful.

Chronic: Pre-existing disorders of the skin and respiratory system may be aggravated by exposure to this product. N-Methyl Pyrrolidone may damage the unborn child (refer to Section 11.2).

4.3 Indication of any immediate medical attention and special treatment needed

Advice to Doctor and Hospital Personnel: Treat symptomatically and supportively.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishable media

Suitable methods of extinction: Use extinguishing media suitable for surrounding fire.

Unsuitable methods of extinction: None known

5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

Explosion hazards: None known

5.3 Advice for firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff water to prevent environmental contamination.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing designated in Section 8. Remove all sources of ignition. Ventilate the area. No smoking.

6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

6.3 Methods and materials for containment and cleaning up

Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Wash contaminated area with soap and water. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

For indications about waste treatment, see Section 13.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8. Do not get in eyes or on skin or clothing. Do not inhale mist or vapor. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator.

Advice on protection against fire and explosion

No special precautions against fire and explosion are required.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10.5), food and drink. Transfer only to approved containers having correct labeling. Keep container tightly closed. Protect container against physical damage. Keep from freezing. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers of this material may be hazardous when empty as they contain product residues. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Do not take internally. Keep out of reach of children.

7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

CAS Number	Ingredient	OSHA PEL	ACGIH TLV	NIOSH
121-44-8	Triethylamine	25 ppm, 100 mg/m ³ TWA	1 ppm TWA; 3 ppm STEL	-----

8.2 Exposure controls

Engineering Measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking or using the lavatory.

Eye/face protection: Wear protective goggles or safety glasses with unperforated side shields during use. Refer to 29 CFR 1910.133, ANSI Z87.1 or European Standard EN 166.

Hand Protection: Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Other protective equipment: Protective clothing. Wear protective boots, if the situation requires.

Respiratory Protection: None required with normal use. Always use an approved respirator when vapor/aerosols are generated. Where risk assessment shows air-purifying respirators are appropriate use a full-faced respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls: Do not empty into drains.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Milky white liquid
Odor	Mild, ammoniacal
Odor Threshold	No data available
Molecular Weight	Not applicable
Chemical Formula	Not applicable
pH	No data available
Freezing/Melting Point, Range	No data available
Initial Boiling Point	100 °C (212 °F)
Evaporation Rate	<1 (Water =1)
Flammability (solid, gas)	Not applicable
Flash Point	>100 °C (>212 °F)
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Lower Explosive Limit (LEL)	No data available
Upper Explosive Limit (UEL)	No data available
Vapor Pressure	No data available
Vapor Density	>1 (Air = 1)
Specific Gravity	No data available
Viscosity	No data available
Solubility in Water	Dispersible
Partition Coefficient: n-octanol/water	No data available
Volatiles by Volume	>80%

9.2 Other data

No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

No special reactivity has been reported.

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

Extreme temperatures; incompatible materials

10.5 Incompatible materials

Strong oxidizing agents, strong acids, strong bases, strong reducing agents

10.6 Hazardous decomposition products

Thermal decomposition products include carbon oxides, nitrogen oxides, hydrocarbons, dense black smoke and other undetermined compounds.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Oral Toxicity

This product is expected to have low acute oral toxicity.

Acute inhalation toxicity

Product is expected to have low acute inhalation toxicity.

Acute dermal toxicity

Product is expected to have low acute dermal toxicity.

Skin irritation

May cause mild skin irritation

Eye irritation

Causes serious eye irritation.

Sensitization

No data available

Genotoxicity in vitro

No data available.

Mutagenicity

No data available

Specific organ toxicity - single exposure

No data available

Specific organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Further information

No component of this product present at levels greater than or equal to the 0.1% threshold (de minimis) is identified as a probable, possible, potential or confirmed carcinogen by ACGIH, IARC, NTP or OSHA. n-Methyl Pyrrolidone CAS #872-50-4) may damage the unborn child (testes and urinary system).

No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates that it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

The ecotoxicity of this product has not been evaluated.

12.2 Persistence and degradability

This product is not readily biodegradable.

12.3 Bioaccumulation potential

No data available

12.4 Mobility

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

Additional ecological information

Do not allow material to run into surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste: The classification of this product may meet the criteria for a hazardous waste.

SECTION 14 - TRANSPORT INFORMATION

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

NOT REGULATED FOR TRANSPORT

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

U. S. Federal Regulations

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

TSCA Status: The components of this product are listed on the TSCA Inventory. It is not subject to TSCA 12(b) Export Notification.

Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories: Acute Health Hazard

SARA 313 Information: Diethylene Glycol Monobutyl Ether (listed under Glycol Ethers, SARA code N230), N-Methyl Pyrrolidone and Triethylamine are subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: No components of the product exceed the threshold (de minimis) reporting levels established by of these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): This product contains the following CERCLA reportable substances: Diethylene Glycol Monobutyl Ether (listed under Glycol Ethers) - There is no RQ assigned to this broad class, although the class is a CERCLA hazardous substance. Refer to 50 Federal Register 13456 (April 4, 1985).

Triethylamine (CAS #121-44-8), RQ - 2,268 kg (5,000 lbs)

Clean Air Act (CAA)

Diethylene Glycol Monobutyl Ether (listed under Glycol Ethers, EDF-109) and Triethylamine (CAS #121-44-8) are listed as Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain any Class 1 Ozone depleters.

This product does not contain any Class 2 Ozone depleters.

Clean Water Act (CWA)

Diethylene Glycol Monobutyl Ether (listed under Glycol Ethers, EDF-109) and Triethylamine (CAS #121-44-8) are listed as Hazardous substances substance sunder the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

N-Methyl Pyrrolidone (CAS #872-50-4) is known to the State of California to cause developmental effects in the fetus.

Other U.S. State Inventories

N-Methyl Pyrrolidone (CAS #872-50-4) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: DE, ME, MA, MN, NJ, PA.

Triethylamine (CAS #121-44-8) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: CA, DE, ID, IL, ME, MA, MN, NJ, NY, PA, WA, WI.

Canada

WHMIS Hazard Symbol and Classification: None allocated

Canadian National Pollutant Release Inventory (NPRI): N-Methyl Pyrrolidone (CAS #872-50-4) and Triethylamine (CAS #121-44-8) are listed.

European Economic Community

Labeling (67/548/EEC or 1999/45/EC): None allocated

Risk Phrases: R36 - Irritating to eyes.

Safety Phrases: S2 - Keep out of the reach of children.

S24/25 - Avoid contact with skin and eyes.

S37/39 - Wear suitable gloves and eye protection.

WGK, Germany (Water danger/protection): 1

Global Chemical Inventory Lists

Country	Inventory Name	Inventory Listing*
Canada:	Domestic Substance List (DSL).	Yes
Canada:	Non-Domestic Substance List (NDSL).	Yes
Europe:	Inventory of New and Existing Chemicals (EINECS)	Yes
United States:	Toxic Substance Control Act (TSCA)	Yes
Australia:	Australian Inventory of Chemical Substances (AICS)	No
New Zealand:	New Zealand Inventory of Chemicals (NZIoC)	No
China:	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan:	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea:	Existing Chemicals List (ECL)	Yes
Philippines:	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	No

*Yes - All components of this product are in compliance with the inventory requirements administered by the governing country.

No - One or more components of this product are not on the inventory or are exempt from listing.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16 - OTHER INFORMATION

Hazardous Material Information System (HMIS)


Health	* 1
Flammability	0
Physical Hazard	0
Personal Protection	B



HMIS & NFPA Hazard Rating Legend

* = Chronic Health Hazard 2 = MODERATE
0 = INSIGNIFICANT 3 = HIGH
1 = SLIGHT 4 = EXTREME

National Fire Protection Association (NFPA)



The information herein is given in good faith and is believed to be accurate and correct; however, no warranty, expressed or implied, is made. Seal 'n Lock System Corp. assumes no responsibility for personal injury or property damage that may arise from the use of this material since the conditions of handling and use are beyond our control. It is the responsibility of the user to comply with all Federal, State and local laws and regulations regarding use of this product. Vendees or users assume all risks associated with the use of this material.

Version 1

Revision Date: Format update - 31 March 2016