**REVISED:** 05/07/15

#### **SECTION 1- PRODUCT IDENTIFICATION**

#### **PRODUCT IDENTIFIER**

PRODUCT NAME: ..... Awning Armor

PRODUCT CODE: ......2052

**PRODUCT USE:** .....industrial uses.

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

RECOMMENDED USE:.....Fabric Care

USES ADVISED AGAINST.....Use only as stated on label

SUPPLIER:.....WINSOL LABORATORIES INC.

EMERGENCY RESPONSE NUMBER: INFOTRAC 800-535-5053 (North America), 1 352-323-3500 (International)

This Safety Data Sheet is authored according to information that was provided by the raw material manufactures. It is based on the straight raw materials and not on the diluted formula strength, as data is not available at this time on compounded formulations. This information does not exempt the end user from the responsibility of executing their own testing for proper classification.

#### **SECTION 2 – HAZARD IDENTIFICATION**

CLASSIFICATION SYSTEM: ............. NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA ratings (scale 0-4): ...... Health = 1, Fire = 0, Reactivity = 0 HMIS ratings (scale 0-5): ..... Health = 1, Fire = 0, Reactivity = 0

LABEL ELEMENTS: ...... The product is classified and labeled according to the Globally Harmonized System

(GHS).

**HAZARD PICTOGRAMS:** 



SIGNAL WORD: ..... None

PHYSICAL HAZARD STATEMENT:... None Known

**HEALTH HAZARD STATEMENT:** H320: Causes eye irritation

H402: Harmful to aquatic life

**PRECAUTIONARY STATEMENTS:** ... P102: Keep out of reach of children.

......P103: Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P362 Take off contaminated clothing and wash before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention.

**REVISED:** 05/07/15

#### **SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS**

Chemical characterization: ..... Mixtures

**Description:** Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	Trade Secret
Ethoxylated Fatty Alcohol	1-5	24938-91-8	2539620	*
Dimethylpolysiloxane Mixture	20-40	63148-62-9	Unlisted	*
Dimethyl cyclopolysiloxane	.051	69430-24-6	2091367	*
Alcohols, C12-14 Ethoxylated	1-5	68439-50-9	5002133	*
2-(Hydroxymethyl) amino ethanol	.051	34375-28-5	2519740	*
Aminoethylaminopropyl dimethyl siloxane	1-5	68554-54-1	Unlisted	*
Water	Balance	7732-18-5	2317912	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### **SECTION 4 – FIRST AID MEASURES**

EYE CONTACT:	Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Get medical attention if irritation persists.
SKIN CONTACT:	Remove contaminated clothing and shoes. Wash affected skin area with soap and water.
SWALLOWING (INGESTION):	Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.
INHALATION:	None known.
OTHER INSTRUCTIONS:	Eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### **SECTION 5 – FIRE FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** ...... Dry chemical, foam, water or carbon dioxide.

**SPECIAL PROTECITVE EQUIPMENT** 

AND PRECATUIONS FOR FIRE FIGHTERS: In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive

pressure, self-contained breathing apparatus (SCUBA) and full protective clothing.

Evacuate all non-essential personnel from the danger area.

**UNUSUAL FIRE AND** 

**EXPLOSION HAZARDS: .....** No further relevant information is available.

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT

**AND EMERGENCY PROCEDURES: ..** Restrict access to keep out unauthorized or unprotected personnel. Wear protective equipment. Avoid eye contact or walking in material as it will be slippery.

**ENVIRONMENTAL PRECAUTIONS:.** Keep spilled material away from sewage/drainage systems and waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP: All clean-up personnel must be properly trained.

Confine the spill and remove incompatible materials. Ensure adequate ventilation.

**REVISED:** 05/07/15

Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers. Dispose material in accordance with Federal, state and local environmental regulations

#### **SECTION 7 – HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE HANDLING: Use with adequate ventilation. Wear proper protective equipment.

**CONDITIONS FOR SAFE STORAGE:** Do not freeze. Store in closed, properly labeled containers in cool dry space. Protect containers from freezing or physical damage, incompatible materials. Have emergency equipment for fires and spills readily available.

#### **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

**TLV (THRESHOLD LIMIT VALUE): ...** The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT (USA)	OSHA PEL – TWA	ACGIH TLV-Ceiling	ACGIH – STEL
Alcohols, C12-14 Ethoxylated	100ppm:360mg/m³(skin)	20ppm:72mg/m³(skin)	Not Established
Other ingredients	Not Established	Not Established	Not Established

**EYE PROTECTION:.....** Wear chemical splash goggles or face shield.

SKIN PROTECTION:......Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron

and/or suitable long-sleeved clothing.

**RESPIRATORY PROTECTION: ......** Not needed.

**VENTILATION:** ..... Ensure adequate ventilation.

ADDITIONAL MEASURES: ..... Emergency eyewash and safety shower facilities should be available in the immediate

work area.

REQUIRED WORK/HYGIENE: ....... Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and

feed. Do not eat, drink or smoke in work area.

#### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

FLAMMABILITY: ...... Non flammable, non combustible

LOWER FLAMMABILITY LIMIT:..... Not applicable UPPER FLAMMABILITY LIMIT:..... Not applicable VAPOR PRESSURE: ..... Not Available

**EVAPORATION RATE: .....** Not Available

**REVISED:** 05/07/15

VAPOR DENSITY (AIR=1): ..... Not determined

SOLUBILITY IN WATER: ..... Soluble in water

PARTITION COEFFICIENT n-OCTANOL/WATER: Not Available

**AUTOIGNITION TEMPERATURE:....** Not Available **DECOMPOSITION TEMPERATURE:** Not Available

#### **SECTION 10 – STABILITY AND REACTIVITY**

**STABILITY:**.....Stable under recommended storage conditions.

HAZARDOUS CONDITIONS TO AVOID: No decomposition if used according to specifications.

**INCOMPATIBLE MATERIALS: .....** None known.

HAZARDOUS DECOMPOSITION PRODUCTS: No dangerous decomposition products known.

### **SECTION 11 – TOXICOLOGICAL INFORMATION**

TOXICOLOGICAL INFORMATION: .. Alcohols, C12-14 Ethoxylated

Acute Eye Irritation: Eye - eye irritation, rabbit. (100 mg, 24hr)
Acute Skin Irritation: Slight skin irritation, rabbit. (500mg, 24hr)

Acute Dermal Toxicity:.....LD50 - rat >200-mg/kg.

**Acute Respiratory Irritation:......** No test data found for product. **Acute Inhalation Toxicity:.....** No test data found for product.

Acute Oral Toxicity: .....LD50, rat: 1 g/kg.

or ACGIH to be "probable" or "suspected" human carcinogens.

**TOXICOLOGICAL INFORMATION: .. Dimethylpolysiloxanes** 

Acute Dermal Toxicity:.....LD50 – rabbit >5000-mg/kg.
Acute Oral Toxicity: .....LD50, rat: 17000 mg/kg

Primary Route(s) of Exposure: ..... Eye, skin contact

Potential Health Effects:......None known.

**Eye Contact:....** Can cause eye irritation.

**TOXICOLOGICAL INFORMATION: .. Remaining Mixture** 

Primary Route(s) of Exposure:..... Eye, skin contact

Potential Health Effects:..... None known.

**Eye Contact:....** Can cause eye irritation.

CARCINOGENICITY: ...... The components of this product are not classified as carcinogenic by OSHA, NTP or

IARC.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

**REVISED:** 05/07/15

#### **SECTION 12 - ECOLOGICAL INFORMATION**

**ECOLOGICAL INFORMATION: ..... mixture** 

ECOTOXICITY:......Harmful to aquatic life

BIODEGRADABILITY: ..... Not Available

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

waste disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be

classified as a hazardous waste.

#### **SECTION 14 – TRANSPORTATION INFORMATION**

DOT/IMDG/ IATA PROPER SHIPPING NAME: Not Classified

**EPA REPORTABLE QUANTITY (RQ):** 

MARINE POLLUTANT:......Not listed.

EMERGENCY RESPONSE GUIDE: .... Not Classified

#### **SECTION 15 – REGULATORY INFORMATION**

### **U.S. FEDERAL REGULATORY INFORMATION:**

LISTED CARCINOGEN:..... Not listed.

TSCA STATUS: ...... The ingredients of this product are listed on TSCA (Toxic Substances Control Act)

inventory (40CFR 710.) Not regulated

SARA SECTION 302:.....None

SARA SECTION 311/312 HAZARD CLASS: Not available

SARA SECTION 313:..... Not listed

**DOMESTIC SUBSTANCES LIST (DSL):** Listed **INGREDIENT DISCLOSURE LIST:.....** Listed

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information

required by the CPR.

**REVISED:** 05/07/15

### **SECTION 16 – OTHER INFORMATION**

real war prod inju assu	information contained herein has been compiled from sources believed to be table and accurate to the best of our knowledge at this date. It is provided without ranty, expressed or implied, as to the results of use of this information or to the duct to which it relates. Winsol Laboratories Inc. assumes no responsibility for ry to any person or property resulting from any use of the material. Each user mes the risk in their use of this product and should review the data and immendations in the specific context of their intended use.
IMDG:Inte	rnational Maritime Code for Dangerous Goods
DOT:US [	Department of Transportation
IATA:Inte	rnational Air Transportation Association
<b>ACGIH:</b> Ame	erican Conference of Governmental Industrial Hygienists
NFPA: Nati	onal Fire Protection Association (USA)
HMIS:Haza	ardous Materials Identification System (USA)
LC50: Leth	al concentration, 50 percent
<b>LD50:</b> Leth	al dose, 50 percent
TOST:Targ	et Organ Systemic Toxicity
DATE PREPARED:Oct.	
DATE REVISED: Ma	·

Note: Data for this SDS is based on a higher percentage of ingredients listed and may be subject to change as new data becomes available.